



Rampart International Corp.
2574 Sheffield Rd. Ottawa, ON, K1B 3V7 phone:
613.729.0446

dealer.rampartcorp.com
[email: dealer@rampartcorp.com](mailto:dealer@rampartcorp.com)

List Effective Until December 31, 2024

Required Information (Parts Only)

Name on Armorer's Certificate:		Pistol Serial No.:	Model No.:
GLOCK Parts List for Certified Armorer's Only			
GLOCK Part No.	Description		
	NOTE: Identification numbers printed on a part may or may not be the		
	CONNECTORS		
343	Connector 5.5 lb "standard" (no marking)		
7965	Connector 5.5 lb "#5 Gen4 & Gen5" (marked " - ") Includes		
33564	Connector 5.5 lb "standard" G42,G43,G43X, G48 (marked " - ")		
33847	Connector 8 lb "plus" G42,G43,G43X,G43XMOS,G48,G48MOS(
735	Connector 8 lb "plus" (marked " + ") Fits Gen1-5 including		
	EJECTORS		
1882	Ejector only - .40, .357 (marked 1882) replaces 4340-marked ejector -		
8196	Ejector only - 10mm, .45 Auto, .45 GAP (marked 8196-2) replaces 4340-		
	.22 LR - EXTRACTORS and Spring Loaded Bearings		
39070	Extractor .22 LR G44 (marked 39070) - Serial number required for		
50702	Extractor (12) .22 LR G44 (marked 50702) - Serial number required for		
	9mm & .380 - EXTRACTORS and Spring Loaded Bearings		
1895	Extractor 9mm, .380 (15°) with Loaded Chamber Indicator (LCI) (use		
33774	Extractor 9mm		
33187	Extractor .380 Slim (15°-5°) with Loaded Chamber Indicator (LCI) - G42		
33376	Extractor 9mm Slim (15°-0°) with Loaded Chamber Indicator (LCI) -		
3001	Extractor G17T only (15°) with Loaded Chamber Indicator (LCI) (use		
2714	Spring-Loaded Bearing - black - 9mm & 380 (use only with above LCI		
1176	Spring-Loaded Bearing - black - for 9mm & .380 with non-LCI extractor		
	40 & .357 - EXTRACTORS and Spring Loaded Bearings		
1899	Extractor .40, .357 (15°-5°) with Loaded Chamber Indicator (LCI) (use		
3439	Spring-Loaded Bearing - white - for .40 & .357 (use only with LCI		
1197	Spring-Loaded Bearing - white - for .40 & .357 with non-LCI extractor		
47984	Extractor (08) .40 G22Gen5,G23Gen5,G27Gen5,G35Gen5		
	10mm - EXTRACTORS and Spring Loaded Bearings		
1909	Extractor 10mm (15°-5°) G20,G29 - with Loaded Chamber Indicator		
3442	Spring-Loaded Bearing - olive green - 10mm, .45 Auto (use only with		
5509	Extractor 10mm (90°-5°) G20,G29 - non-LCI for older slide with 90°		
1204	Spring-Loaded Bearing - olive green - 10mm, .45 Auto with non-LCI		
50886	Extractor 13 10mm (15o-5o) G20 Gen5 Only - with Loaded Chamber		
	.45 GAP - EXTRACTOR and Spring Loaded Bearing		
1902	Extractor .45 GAP (15°-5°) G37,G37Gen4,G38,G39 with Loaded		
3439	Spring-Loaded Bearing - white - .45 GAP (use only with LCI		
	.45 Auto - EXTRACTORS and Spring Loaded Bearings		
1902	Extractor .45 Auto (15°-5°) G21,G21SF,G30 - with Loaded Chamber		
1906	Extractor .45 Auto (15°-5°) G30S,G36,G36FGR,41Gen4 only - with		
33772	Extractor 02 .45 Auto (15o-5o) G21 Gen5 Only - with Loaded Chamber		
3442	Spring-Loaded Bearing - olive green for 10mm, .45 Auto (not GAP) (use		
1204	Spring-Loaded Bearing - olive green for 10mm, .45 Auto (not GAP) (do		
	EXTRACTOR DEPRESSOR PLUNGER & SPRINGS		
112	Extractor Depressor Plunger - fits 9mm, .40, .380, .357, .45 GAP		

5243	Extractor Depressor Plunger - fits 10mm, .45 Auto (plunger has center ri
3449	Extractor Depressor Plunger & Spring Assembly 9mm, .40 Gen3, Gen4
33185	Extractor Depressor Plunger & Spring Assembly .380, G42 Only (Not
33378	Extractor Depressor Plunger & Spring Assembly 9mm, G43,G43X,G48
39682	Extractor Depressor Plunger & Spring Assembly .22 LR, G44 Only (Not
3460	Extractor Depressor Plunger & Spring Assembly .All 45Auto & 10mm
33522	Extractor Depressor Plunger Spring - fits all models Gen3, Gen4 &
	FIRING PIN PARTS
49	Firing Pin - fits 9mm & .380 - marked 49 (has 1 dash approx ½ inch
4594	Firing pin - Fits G17R only (marked 2474 on back of lug) Serial Number
4270	Firing Pin - fits .40, .357, .45 GAP - marked 4270 & 2 dashes (Excludes
4557	Firing Pin - fits 10mm, .45 Auto (all) - marked 4557 & 3 dashes
39327	Firing Pin Assembly 9mm & .40 Gen5
33372	Firing Pin Assembly 9mm Slim G43,G43X,G48 - marked 33373
39445	Firing Pin Assembly .22 LR G44 (03 assy) - marked 39016
50750	Firing Pin Assembly 02 .45Auto, 10mm G20, G21Gen5 Only (marked
56	Firing Pin Spacer Sleeve - fits all models (Excludes
63	Firing Pin Spring 24N (silver) - fits all models
70	Firing Pin Spring Cup (1 Spring Cup = 2 halves - replace in pairs only)
1148	Firing Pin Channel Liner - fits all models Gen3, Gen4, Gen5 - (Excludes
77	Firing Pin Safety including Spring - 9mm, .40, .357, 10mm (Excludes
33782	Firing Pin Safety including Spring - 9mm,
33374	Firing Pin Safety including spring - Slim 9mm G43, G43X,G48 Marked 1
39675	Firing Pin Safety including spring - .22 LR G44 (06 assy) - marked
4543	Firing Pin Safety including Spring fits all .45 cal ACP & GAP
	MAGAZINE PARTS Complete magazines cannot be ordered as
3206	Magazine Floor Plate - 9mm,.40, .380, .357, .45 GAP (square-notch
1294	Magazine Floor Plate - 9mm, .40, .357, .45 GAP (orange for training
33392	Magazine Floor Plate - 9mm Slim G43 (Flush)
47578	Magazine Floor Plate - 9mm G43X,G48
39283	Magazine Floor Plate - 9mm G17Gen5,G19Gen5,G34Gen5MOS
1894	Magazine Floor Plate - G17T - (blue for Simunition mags only - LE
6187	Magazine Floor Plate - with built-in mini-flashlight adaptor - 9mm, .40,
3941	Magazine Floor Plate - 10mm, .45 Auto G20,G21,G21SF,G29 (all), also
2681	Magazine Floor Plate - 10mm, .45 Auto G20,G21,G29 (orange for traini
50751	Magazine Floor Plate - 10mm, .45 Auto G20, G21 Gen5 Only
8189	Magazine Floor Plate - .45 Auto G30 10rd
1725	Magazine Floor Plate - .45 Auto Slim G36 (marked 1725)
33225	Magazine Floor Plate - .380 Slim, G42
7151 *	Magazine Floor Plate - "+" for 9mm, .40, .357, .45 GAP - use ONLY
7165 *	Magazine Insert - "+" for 9mm, .40, .357, .45 GAP - use ONLY with
1693	Magazine Insert - 9mm Gen4 & Gen5 G17,G17L,G19,G26,G34,- fits
33391	Magazine Insert - 9mm Slim G43 (Fits Flush Floor Plate only)
5166	Magazine Insert - .40, .357, .45 GAP Gen4 & Gen5
47577	Magazine Insert - 9mm G43X,G48
6831	Magazine Insert - 10mm
5397	Magazine Insert - .45 Auto G21,G21SF,G30 - new style flat insert
6901	Magazine Insert - .45 Auto G21 10rd
1753	Magazine Insert - .45 Auto G36,G36FGR Slim Only
33226	Magazine Insert - .380 Slim G42 Only
1812	Magazine Follower - 9mm G17,G17L,G19 G26,G34 cap-style - marked
2183	Magazine Follower - 9mm G17,G19,G34 10rd Only (Including Gen4) -
5233	Magazine Follower - 9mm
1265	Magazine Follower - 9mm Gen5, G19X, G45 10rd (Orange) (marked 2)
1593	Magazine Follower - .357 G31,G32,G33 (Including Gen4) - 9rd, 11rd,
1009	Magazine Follower - .357 G31,G32 10rd Only (marked .357/10 & 1)
1672	Magazine Follower - .380 G25,G28 marked .380 & 2 (Excludes G42)
1028-10	Magazine Follower - .40 G22,G23,G24,G27,G35 cap-style (marked .40

2432	Magazine Follower - .40 G22,G23,G24,G27,G35 10rd mags w/ high
3948	Magazine Follower - 10mm
50876	Magazine Follower - 10MM G20 Gen5 10rd & 15rd Orange (marked 4)
1878	Magazine Follower - .45Auto G21 Gen5 10rd & 13rd Orange (marked 4)
3955	Magazine Follower - .45 Auto 10rd G21 (marked .45 & 3955)
	Magazine Follower - .45 Auto G21,G30 original style - (marked 045 &
1304	Magazine Follower - .45 Auto G21,G21SF,G30,G30S,
1767	Magazine Follower - .45 Auto G36 Slim only (marked .45 S)
3621	Magazine Follower - .45 GAP G37,G38,G39 cap-style (marked .45
33224	Magazine Follower - .380 Slim, G42 (marked 2)
33390	Magazine Follower - 9mm Slim, G43 (marked 2)
47864	Magazine Follower - 9mm G43X, G48
33510	Magazine Spring - 9mm G17,G19X,G18,G34,G45,G47 all 17rd mags,
	Magazine Spring - 10mm G20 15rd mags, including pre-ban, LE
	Magazine Spring - .45 Auto G21 use only in pre-ban, older LE marked
	Magazine Spring - .40 G22,G35 10-coil spring - pre-ban mags & older
	Magazine Spring - .40 G23Gen5 10-coil spring
33498	Magazine Spring - 9mm Slim G43
33725	Magazine Spring - 9mm G17,G17L,G34,G19X,G45,G47 10rd mags
33601	Magazine Spring - 9mm G17,G18,G19X,G34 19rd (17rd mag with
	Magazine Spring - .40, .45GAP, G22,G31,G35,G37 11 coil spring (must
33702	Magazine Spring - 9mm & .40 (24rd, 31rd, 33rd & 22rd mags)
33720	Magazine Spring - 9mm & .357 G19,G23,G32 10rd mags only
47656	Magazine Spring - 9mm G43X,G48
33509	Magazine Spring - 9mm, .40, .357 .45 GAP
	Magazine Spring - .45 Auto G30 (9-coil spring) - use only in older mags
33726	Magazine Spring - .40 & 10mm G20,20SF,G22,G24,G35,G40 10rd
1300	Magazine Spring - 45 Auto G21,G21SF 10-coil spring - wide base, use
3552	Magazine Spring - 45 Auto G30,G30S wide-base, use ONLY in newer
1071	Magazine Spring - .45 Auto Slim, G36
33602	Magazine Spring - .380 Slim, G42
	MAGAZINE CATCH PARTS
287	Magazine Catch - fits 9mm, .40, .380, .357, .45GAP (Excludes Gen4,
1981	Magazine Catch Extended - fits all 9mm, .40, .380, .357, .45 GAP
7534	Magazine Catch Reversible - fits 9mm, .40, .380, .357, .45GAP - Gen4,
33204	Magazine Catch Reversible - fits .380 G42 Only - marked 33204
33369	Magazine Catch Reversible - fits 9mm G43 Slim Only - marked 33369
47558	Magazine Catch Reversible - fits 9mm G43X,G48 Only
1739	Magazine Catch - fits G36,G36FGR Only
1035	Magazine Catch - fits G20,G20SF,G21,G21SF G21Gen5, STD Only
8794	Magazine Catch Reversible Extended +0.75 - fits 9mm, .357, .40
8795	Magazine Catch Reversible - fits G21Gen4 & Gen5,G20Gen4 & Gen5
39543	Magazine Catch Spring - fits all models except G21SF AMBI
5315	Magazine Catch Spring Flat (AMBI)
5325	Magazine Catch (AMBI) Old Style G21SF (P7 & P9 item prefix)
5323	Magazine Release Button (AMBI G21SF)
	RECOIL SPRING ASSEMBLIES
1533	Recoil Spring Assembly - 9mm, .40, .357, .45GAP G17,G22,G31,G37
3706	Recoil Spring Assembly - 9mm G17TGen3 Simunition (black springs &
2457	Recoil Spring Assembly - 9mm, .40, .357, .45 GAP
5586	Recoil Spring Assembly - 10mm, .45 Auto, G20,G20SF,G21,G21SF
39146	Recoil Spring Assembly dual -.22LR G44 (16 assy)
30000	Recoil Spring Assembly dual - 9mm Simunition G17TGen4 ONLY
39658	Recoil Spring Assembly Dual - 9mm Simunition G17T Gen5 Only
8284	Recoil Spring Assembly dual - 9mm G17Gen4,G34Gen4 (Including
8703	Recoil Spring Assembly dual - 9mm G19Gen4 (marked 0-4-3)
33786	Recoil Spring Assembly dual - 9mm G17Gen5,G34Gen5MOS, G17P
39310	Recoil Spring Assembly dual - 9mm G19Gen5,G19X,G45, G45MOS

30297	Recoil Spring Assembly dual - 9mm G19T,G45T Gen5 Only
7815	Recoil Spring Assembly dual - .40 & .357 G-23Gen4, G32Gen4
7577	Recoil Spring Assembly dual - .40, .357, .45 GAP
33785	Recoil Spring Assembly (12) dual - .40, G22Gen5 (Including MOS)
39311	Recoil Spring Assembly (18) dual - .40, G23Gen5, (Including MOS)
30077	Recoil Spring Assembly dual - .45 Auto, 10mm,
33195	Recoil Spring Assembly dual - .380 G42 (marked 1-0)
33379	Recoil Spring Assembly dual - 9mm G43 Slim, G43X,G48 (marked 1-1)
2211	Recoil Spring Assembly dual - 9mm, .40, .357, .45 GAP
8063	Recoil Spring Assembly dual -10mm, .45 Auto,
33829	Recoil Spring Assembly (14) dual - .45 Auto, 10mm G20,G21Gen5 Only
	r Sight tools see GLOCK Armorer's Tools, Tool Kits & Sight tools sec
6956	Sight - Polymer - 4.1 Front Screw on (includes 5946 SCREW) - Fits All
33258	Sight - Polymer - 4.9 GMS - Front Screw on (includes 33259 SCREW) -
5946	Steel - Screw (MUST be used with 6956, NF17G24, NF17G32, 7079,
154	Sight - Polymer - Fixed 6.1mm Rear - Fits All Models (Including Gen3,
33270	Sight - Polymer - Fixed 6.1mm Rear - Slim G42,G43,G43X, (Excluding
182	Sight - Polymer - Fixed 6.5mm Rear - Fits All Models (Including Gen3,
33205	Sight - Polymer - Fixed 6.5mm Slim Rear - All Slim Models (Including
196	Sight - Polymer - Fixed 6.9mm Rear - Fits all Models (Including Gen3,
33416	Sight - Polymer - Fixed 6.9mm Rear - Slim - Fits G43XMOS, G48MOS
210	Sight - Polymer - Fixed 7.3mm Rear - Fits All Models (Including Gen3,
33259	Steel - Screw (MUST be used with 4.9 GMS front sights / 33258, 33574,
39733	Sight - Polymer - Fixed 6.1mm Rear - GMS - Gen5
39724	Sight - Polymer - Fixed 6.5mm Rear - GMS - Gen5
39734	Sight - Polymer - Fixed 6.9mm Rear - GMS -Gen5
39735	Sight - Polymer - Fixed 7.3mm Rear - GMS - Gen5
39928	Sight Set - GLOCK Night Sight Set 6.5 (PKG)(Includes 1 rear & 1 front
39929	Sight Set - GLOCK Night Sight Set 6.9 (PKG)(Includes 1 rear & 1 front
39930	Sight Set - GLOCK Night Sight Set 6.1 Slim (PKG) Fits G42,G43,G43X
NF17G24	Sight - Night-Sight - GLOCK Front 4.1 (screw-on) GNS Fits All models - Gen3,Gen4,Gen5,G43X,G48 (Includes 5946 SCREW)
33574	Sight - Night-Sight - GLOCK 4.9 Front (screw-on) GNS Fits G48
NR17G2 5	Sight - Night-Sight - GLOCK 6.1mm Rear GNS - Fits All Models (Including Gen3, Gen4 & MOS) (Excluding G42,G43,G43X,G48)
33578	Sight - Night Sight - GLOCK 6.1mm Slim Rear GNS
33577	Sight - Night Sight - GLOCK 6.5mm Slim Rear GNS
NR17G2 4	Sight - Night-Sight - GLOCK 6.5mm Rear GNS - Fits All Models (Including Gen3, Gen4 & MOS) (Excluding G42,G43,G43X,G48)
NR17G2 6	Sight - Night-Sight - GLOCK 6.9mm Rear GNS - Fits All Models (Including Gen3, Gen4 & MOS) (Excluding G42,G43.G43X,G48)
33581	Sight - Night Sight - GLOCK 6.9mm Rear SLIM GNS - Fits G43X
39750	Sight - Night Sight - 4.1 GMS Front Screw on - (includes 5946 SCREW)
39751	Sight - Night Sight - 4.9 GMS Front Screw on - (includes 33259
39744	Sight - Night Sight - GMS 6.1mm Rear - G17Gen5, G19Gen5,
39745	Sight - Night Sight - GMS 6.5mm Rear - G17Gen5, G19Gen5,
39746	Sight - Night Sight - GMS 6.9mm Rear - G17Gen5, G19Gen5,
39747	Sight - Night Sight - GMS 7.3mm Rear - G17Gen5, G19Gen5,
47286	Sight - Night Sight - AMGLO Bold Set (PKG) - .220" Height Front, .140"
47284	Sight - Night Sight - AMGLO Bold Set (PKG) - 180" Height Front -
47285	Sight - Night Sight - AMGLO Bold Set (PKG) - 200" Height Front -
47283	Sight - Night Sight - AMGLO Bold Set (PKG) - 165" Height Front -
55305	Sight - Night Sight - AMGLO Bold SLIM Rear to be used with 34830 Fits
45772	Sight - Night Sight - AMGLO Bold - 276"H/.165"N S/.750"W Serrated -
46091	Steel - Screw - MUST be used with 34830, 34832, 34998, 34833
34833	Sight - Night Sight - AMGLO Bold Front 140" W x 220" H (no
34830	Sight - Night Sight - AMGLO Bold Front 140" W x 200" H (equivalent to
34832	Sight - Night Sight - AMGLO Bold Front 140" W x 180" H (equivalent to

34998	Sight - Night Sight - AMGLO Bold Front 140" W x 165" H (equivalent to
NF17G32	Sight - Luminescent - GLOCK - Front Screw-on 4.1mm (includes 5946 SCREW) metal sight-not a night sight Fits All models - Gen3 & Gen4
NR17G3 2	Sight - Luminescent - GLOCK 6.5mm Rear (standard height on G17,G19,G22,G23,G26,G27,G33,G34,G35, G37,G38,G39) -
NR17G3 3	Sight - Luminescent - GLOCK 6.1mm Rear (standard height only on G17L Long-Slide target pistol) - metal sight - not a night sight
7079	Sight - Steel - GLOCK 4.1 Front Screw-on (includes 5946 SCREW)
33579	Sight - Steel - GLOCK 4.9 Front Screw-on (includes 33259 SCREW)
4190	Sight - Steel - GLOCK 6.1mm Rear - Fits All models (Including Gen3,
33585	Sight - Steel - GLOCK 6.1mm Rear SLIM - Fits G42,G43,G43X (longer
4197	Sight - Steel - GLOCK 6.5mm Rear - Fits All models (Including Gen3,
33586	Sight - Steel - GLOCK 6.5mm Rear SLIM - Fits G48 (one dash indicates
4204	Sight - Steel - GLOCK 6.9mm Rear - Fits All Models (Including Gen3,
33587	Sight - Steel - GLOCK 6.9mm Rear SLIM - Fits
4211	Sight - Steel - GLOCK 7.3mm Rear Fits All models (Including Gen3,
5977	Sight - Adjustable Rear w/mini screwdriver (6635) - Fits all models
33515	Sight - Adjustable Rear (3) w/mini screwdriver (6635) - Fits G44
6635	Sight Mini-Screwdriver (for GLOCK adjustable rear sight 5977, 33515 &
	MOS COVER PLATES
33521	MOS Cover Plate 01 9mm, .40, .45 G19,G17,G34,G35,G41
41100	MOS Cover Plate 01 DLC 9mm,
70032	MOS Cover Plate (Polymer) 01 9mm G45MOS, G47MOS
33737	MOS Cover Plate 02 10mm G40
70161	MOS Cover Plate (Polymer) 02 .45, 10MM, G20Gen5, G21Gen5
47538	MOS Cover Plate 04 nDLC .40 G22Gen5MOS,G23Gen5MOS,
47692	MOS Cover Plate Slim 01 nDLC G43X MOS, G48MOS only
37058	MOS Cover Plate Screw ONLY Torx Flat Cap Screw M3x8mm
55032	MOS Cover Plate Screw ONLY Torx Flat Cap Screw TX10, M4x7.5, 10.
	SLIDE COVER PLATES
133	Slide Cover Plate - black - fits all models Gen3 & Gen4 - (Excluding
39451	Slide Cover Plate - black - .22 LR G44 ONLY (marked 39450)
33188	Slide Cover Plate - black - .380 G42 ONLY
33385	Slide Cover Plate - black - 9mm slim
33784	Slide Cover Plate - black - 9mm
5865	Slide Cover Plate - orange - half-height for inspection only - fits all
39493	Slide Cover Plate - orange - half-height for inspection only - Slim fits
	SLIDE LOCKS AND SLIDE LOCK SPRINGS
301	Slide Lock - fits all models - (Including Gen3 T models)(Excluding
39348	Slide Lock - fits G44 only - marked 39348
4672	Slide Lock - fits Gen4 T models only - marked 4672
1788	Slide Lock - fits G36,G36FGR only - marked 1788
33202	Slide Lock - fits G42 - marked 33202
33706	Slide Lock - Fits G17Gen5,G19Gen5,G19X,G20Gen5,
33364	Slide Lock - fits 9mm slim G43,G43X,G48 - marked 33364
5446	Slide Lock Spring - fits
39567	Slide Lock Spring - Pressure Spring 3,1/0,4/9,5- fits All Gen5, (Including
2317	Slide Lock Spring - fits G19,G23,G32,G38 (new stainless steel full-width
8073	Slide Lock Spring - fits Gen4 G19,G23,G32
5837	Slide Lock Spring - fits G26,G27,G29,G29SF,G30,G30SF,G30S,G33,G3
91	Slide Lock Spring - fits G42,G43,G43X,G48 (firing pin safety spring)
	SLIDE STOP LEVERS
47340	Slide Stop Lever & Spring - Fits .22 LR G44 Only (Ambi 05 assy)-
2919	Slide Stop Lever & Spring - fits 9mm, .40, .357 (NOT 2-pin
399	Slide Stop Lever & Spring - fits only 2-pin G17,G17L,G34 (1986 to mid-
47247	Slide Stop Lever & Spring - fits 9mm Gen5, .40 Cal Gen5,
5423	Slide Stop Lever & Spring - G20,G20SF,G21,G21SF,G29,G29SF,G30,

33990	Slide Stop Lever & Spring - fits G20, G21Gen5 Only - marked 8769
1802	Slide Stop Lever & Spring - fits G36,G36FGR only - marked 1795-1
33272	Slide Stop Lever & Spring - fits .380 G42 - marked 33219-2
33731	Slide Stop Lever & Spring 01 - fits 9mm G43 - marked 33730-1
47877	Slide Stop Lever & Spring 02 - fits 9mm G43X,G48 only - marked
30793	Slide Stop Lever & Spring - fits only the G30S,G41Gen4 (including
7496	Slide Stop Lever & Spring Extended - 9mm, .40, .357
7489	Slide Stop Lever & Spring Extended -9mm fits only 2-pin
47249	Slide Stop Lever & Spring Extended - 9mm Gen5, .40 Cal Gen5,
1034	Slide Stop Lever & Spring Extended - fits only
	TRIGGER PARTS
322	Trigger Mechanism Housing w/ 336 ejector installed - fits 9mm, .380
39435	Trigger Mechanism Housing w/ejector (marked 33850) installed .22 LR
30275	Trigger Mechanism Housing w/ejector (marked 30274) installed 9mm
47208	Trigger Mechanism Housing w/ ejector installed - fits 9mm Gen5,
33228	Trigger Mechanism Housing w/ejector (marked 33214) installed - fits
1896	Trigger Mechanism Housing w/ 1882 ejector installed - fits .40, .357
28927	Trigger Mechanism Housing w/ejector (marked 28926) installed .40
50744	Trigger Mechanism Housing w/ejector (07) (marked 50705) installed -
30561	Trigger Mechanism Housing w/30499 ejector installed fits .357 Gen4
8203	Trigger Mechanism Housing w/ 8196-2 ejector installed - fits
5406	Trigger Mechanism Housing w/ 8196-2 ejector installed - fits
65578	Trigger Mechanism Housing w/ 8196 ejector installed - fits G20, G21
427	Trigger Housing Pin - Polymer - fits all models Gen1, Gen2 & Gen3
7416	Trigger Housing Pin MBS - fits Gen4, Gen5, G19X,G45 with MBS (long
1774	Trigger Housing Pin - Polymer - fits all SF Models, (Including
33218	Trigger Housing Pin - Polymer - fits G42,G43,G43X,G48 Only
420	Trigger Pin - Fits all - (Excludes Gen5)
8298	Trigger Pin Ambi - Fits All Gen5, G19X,G20Gen5,
1697	Trigger Pin - fits G36, G36FGR Only
33217	Trigger Pin - fits G42 Only
33365	Trigger Pin - 9mm - fits G43,G43X,G48 Only
350	Trigger Spring - Coil - fits all models - (Excludes
7405	Trigger Spring - NY 1 (olive) (Excludes Gen5)
39324	Trigger Spring - NY 1 Slim (orange) G42,G43,G43X,G48
39651	Trigger Spring - NY 1 (black) Gen5 (Including G19X,G45)
7412	Trigger Spring - NY 2 (orange) (Excludes Gen5)
47337	Trigger Spring - NY 2 (Grey) Gen5 (Including G19X,G45)
2481	Trigger Spring - G17R reset trigger spring (Serial Number Required)
357	Trigger with trigger bar - G17,G22,G31,G34,G35 Gen1 - Gen3 Only ,
39702	Trigger with trigger bar - Gen5,G19X,G22,G45,G45MOS,G45P,
2303	Trigger with trigger bar - Gen2 & Gen3 G19,G23,G26,G27,G32,G33
4417	Trigger with trigger bar -
33813	Trigger with trigger bar - G20, G21 Gen5 Only, Smooth trigger (marked
1194	Trigger with trigger bar -
3608	Trigger with trigger bar -
4497	Trigger with trigger bar - Gen4
2096	Trigger with trigger bar - G36, G36FGR only Grooved trigger (marked
33206	Trigger with trigger bar - .380 G42 (marked 33207-1)
33362	Trigger with trigger bar - 9mm G43,G43X,G48 Grooved trigger (marked
1293	Trigger with trigger bar - G19 pre-EH ser #s (marked + on top of
39453	Trigger with trigger bar - G44 AMBI 05 - (smooth trigger)
	GLOCK ARMORER'S TOOLS, TOOL KITS, SIGHT TOOLS
5686	GLOCK Front Sight Tool (HEX)
5161	Sight tool - Rear - Fits all models 9mm, .40, 10mm, .45, .357, .380,
3374	GLOCK Disassembly Tool (pin punch with chamfered end & GLOCK
6635	Sight Mini-Screwdriver (for GLOCK adjustable rear sight 5977, 33515 &
	CLEANING RODS AND BORE BRUSHES

497	Bore brush - Nylon, for all models (Excluding G17T)
1690	Bore brush - Bronze, for G17T,G17TGen4 Simunition pistols Only
490	Cleaning rod - Polymer for nylon brush - fits all Models (Excluding
6011	Cleaning rod - Polymer for bronze brush - for G17T,G17TGen4
39698	Cleaning rod - Polymer 01 for nylon brush - fits G44
47191	Cleaning rod - Polymer upper part adapter 01 (G44)
	DUMMY ROUNDS
33324	GLOCK Dummy Rounds 9x19 Pkg = 50 rds
33325	GLOCK Dummy Rounds .40 Pkg = 50 rds
33326	GLOCK Dummy Rounds .45 Pkg = 50 rds
	CABLE LOCK
CL00003	Cable lock - fits all models
	BACKSTRAP/BEAVERTAIL KITS PACKAGED
30818	Backstrap/Beavertail G17,G22,G31,G34,G35,G37,G45MOS,G47MOS
30867	Backstrap/Beavertail G17,G22,G31,G34,G35,G37 (Gen4,Gen5) Set
30951	Backstrap/Beavertail G17,G22,G31,G34,G35,G37 (Gen4 only) Set
39839	Backstrap/Beavertail G17,G22 (Gen4,Gen5) Set (Grey) PKG
39841	Backstrap/Beavertail G17,G22 (Gen4 only) Set (BFG) PKG
39298	Backstrap/Beavertail G19X Set (Coyote) PKG
30820	Backstrap/Beavertail G19,G23,G32,G44 (Gen4 & Gen5) Set (BLK)
30870	Backstrap/Beavertail G19,G23,G32 (Gen4,Gen5) Set (DE) PKG
30950	Backstrap/Beavertail G19,G23,G32 (Gen4 only) Set (OD) PKG
39515	Backstrap/Beavertail G19,G23 (Gen4,Gen5) Set (Grey) PKG
39842	Backstrap/Beavertail G19,G23 (Gen4 only) Set (BFG) PKG
30819	Backstrap/Beavertail G20,G21 (Gen4, Gen5) ,G40,G41 (Gen4 only) Set
30864	Backstrap/Beavertail G20,G21,G40,G41 (Gen4 only) Set (DE) PKG
30952	Backstrap/Beavertail G20,G21,G40,G41 (Gen4 only) Set (OD) PKG
39709	Backstrap/Beavertail G20,G21 (Gen4 only) Set (Grey) PKG
39843	Backstrap/Beavertail G20,G21 (Gen4 only) Set (BFG) PKG
30821	Backstrap/Beavertail G26/G27 Set (BLK) PKG
30873	Backstrap/Beavertail G26,G27,G33 (Gen4,Gen5) Set (DE) PKG
30957	Backstrap/Beavertail G26,G27,G33 (Gen4 only) Set (OD) PKG
39840	Backstrap/Beavertail G26,G27 (Gen4,Gen5) Set (Grey) PKG
39844	Backstrap/Beavertail G26,G27 (Gen4 only) Set (BFG) PKG
30822	Backstrap/Beavertail G29,G30 (Gen4 only) Set (BLK) PKG
	ACCESSORIES (Items below are not sold as parts)
483	Magazine Speed Loader - fits 9mm, .40, .357, .380, .45 GAP (Includes
5173	Magazine Speed Loader - fits 10mm, .45 Auto and
ML02376	Magazine Speed Loader - fits G36,G36FGR .45 Auto only
33609	Magazine Speed Loader - fits G43, 9mm Slim only
47814	Magazine Speed Loader - fits G43X,G48 9mm Only
33610	Magazine Speed Loader - fit G42 Only
	A Magazine Speed Loader is not available for G44
74008	MOS adapter plate 01 Set (Pkg) 9mm - G17, G19, G45, G47, G34 Fits
74009	MOS adapter plate 02 Set (Pkg)9mm - G17, G19, G45, G47, G34 Fits
74010	MOS adapter plate 03 Set (Pkg) 9mm - G17, G19, G45, G47, G34 Fits
74011	MOS adapter plate 04 Set (Pkg) 9mm - G17, G19, G45, G47, G34 Fits
74012	MOS adapter plate 05 Set (Pkg) 10mm, .45cal, .40cal, G20, G21,
74013	MOS adapter plate 06 Set (Pkg)10mm, .45cal, .40cal, G20, G21,
74014	MOS adapter plate 07 Set (Pkg) 10mm, .45cal, .40cal, G20, G21,
74015	MOS adapter plate 08 Set (Pkg) 10mm, .45cal, .40cal, G20, G21,
37057	MOS Adapter Plate Screw ONLY Torx Flat Cap Screw M3x6mm